	SAFE	ETY DA	TA SHEE	ET	
May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.	HMIS HAZARD RATING				
	HEALTH FLAMMABILITY REACTIVITY	2 3 0	0 = INSIGNIFICANT 1 = SLIGHT 2= MODERATE		3 = HIGH 4 = EXTREME
SAFETEC OF AMERICA					
SECTION 1 - PRODUCT / COMPAI	NY IDENTIFICATI	ION			
IDENTITY (AS USED ON LABEL AND LIST) Safetec® Sting Relief- Towelette					Page 1 of 2
MANUFACTURER'S NAME Safetec of America, Inc.		EMERGENCY TELI (800) 255-3924	EMERGENCY TELEPHONE NUMBER (24 Hours) (800) 255-3924		
ADDRESS (NUMBER, STREET, P.O. BOX) 887 Kensington Ave.		TELEPHONE NUM	TELEPHONE NUMBER FOR INFORMATION (716) 895-1822		
(CITY, STATE AND ZIP CODE) Buffalo, NY 14215		DATE PREPARED SUPERSEDES		April 2, 2014 August 13, 2013	
SECTION 2 - HAZARDS IDENTIFIC					
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSUR SKIN: Prolonged or repeated skin contact may cause mild irritation					
EYES: Brief contact may cause mild irritation; prolonged contact may	ay cause moderate irritation asso	ociated with redness.			
INHALATION: Brief (minutes) inhalation will not cause adverse effe	cts; prolonged and constant inha	alation may cause irritatio	n to the upper respiratory tra	ict.	
INGESTION: Small amounts swallowed incidental to normal handlin	g are not likely to cause injury. S	Swallowing larger amount	s may cause injury.		
HEALTH HAZARDS (ACUTE):	Acute effects are possible irrit				
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXP	OSURE: Preexisting skin, eye or	respiratory disorders ma	y become aggravated through	n prolonged exposure.	
SECTION 3 - COMPOSITION/INFO	RMATION ON I	NGREDIENTS			
HAZARDOUS COMPONENTS		% (wt.)	OSHA	PEL/STEL	ACGIH TLV/TWA/STEL
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)	CAS#	(OPTIONAL)	PPM	MG/M³	PPM MG/M³
Ethyl Alcohol	64-17-5			00 (PEL)	1000 (TLV)
Lidocaine HCI	6108-05-0	2	None	Established	None Established
Menthol	2216-51-5			Established	None Established
This product is not known to contain a substance subject to Section		I Amendments and Reaut	horization Act of 1986 (SARA)	and 40 CFR 372 at or above m	inimal amounts.
SECTION 4 - FIRST AID MEASURE	S				
EMERGENCY AND FIRST AID PROCEDURES					
SKIN: If irritation occurs, flush with clear running water for a minim	um of 15 minutes; if irritation pe	ersists, seek medical atter	ntion.		
EYES: Flush eyes with clear running water for a minimum of 15 min	utes while holding eyelids open;	; if irritation persists seek	medical attention.		
INHALATION: If irritation occurs, remove to fresh air and provide or	kygen if breathing is difficult; see	ek medical attention if rec	juired.		
INGESTION: DO NOT induce vomiting; seek immediate medical atte	ention.				
SECTION 5 - FIRE FIGHTING MEAS					
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS (% V	olume in Air for Lowe	st Flashing Component)		

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component)	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component)			
15.7°C	LEL: 3.3	UEL: 19			
EVENICUICUING MEDIA					

EXTINGUISHING MEDIA

Dry chemicals, alcohol-type or all-purpose foam, CO₂

SPECIAL FIRE FIGHTING PROCEDURES

DO NOT enter confine fire space without full bunker gear (Helmet with face shield, bunker coats, gloves and rubber boots. Wear NIOSH/MSHA approved self contained breathing apparatus. Cool fire exposed containers with water. A water spray may be used to dispense vapors; re-ignition is possible.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS

Flammable liquid. Concentrated vapors may be flammable

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED

Small spills may be flushed with large amounts of water; larger spills should be collected with approved absorbent for disposal.

SECTION 7 - HANDLING AND STORAGE

Handling: Keep container(s) tightly closed when not in use. Storage: Store in cool, dry area away from possible sources of ignition. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION	VENTILATION LOCAL EXHAUST:	Required
Ordinary, none required	MECHANICAL (GENERAL):	No
PROTECTIVE GLOVES	EYE PROTECTION	
Ordinary, none required	Ordinary, none required	
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	WORK/HYGIENIC PRACTICES	
Ordinary, none required	Practice safe work habits. Use according to label instructions.	

SECTION 9 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT	SPECIFIC GRAVITY (WATER = 1)
173°F (Based on Ethyl Alcohol)	0.92
VAPOR PRESSURE (mm Hg)	MELTING POINT
Not determined	Not applicable
VAPOR DENSITY (AIR = 1)	рН
Not determined	Approximately 4.3
SOLUBILITY IN WATER	EVAPORATION RATE (IPA = 1)
Complete to moderate	Not determined
APPEARANCE AND ODOR	% VOLATILES (BY VOLUME)
Clear liquid	Not determined

MATERIAL SAFETY DATA SHEET				
DENTITY (AS USED ON LABEL AND LIST)			Page 2 of 2	
Safetec® Sting Relief- Towelette			Date: April 2, 2014	
SECTION 10 - STABILITY AND REACTIVITY				
STABILITY UNSTABLE:	CONDITIONS			
STABLE: XXX	Extreme tempe	ratures; sources of ignition		
NCOMPATIBILITIES (MATERIALS TO AVOID) Strong oxidizing agents/reducing agents.				
HAZARDOUS DECOMPOSITION OR BYPRODUCTS				
Decomposition will not occur if handled and stored properly. Thermal decomposition may pr	oduce carbon monoxide, s	mall amounts of nitrogen ox	ides, halogenated compounds or propionaldehyde may also be formed	l
HAZARDOUS POLYMERIZATION MAY OCCUR:	CONDITIONS	TO AVOID		
WILL NOT OCCUR: XXX	None known			
SECTION 11 - TOXICOLOGICAL INFORMATION				
Component analysis - LC50: N/A Component analysis - LD50: N/A				
effects of acute exposure: possible irritation and discomfort.				
ensitization: Non-hazardous by WHMIS/OSHA criteria.				
Chronic Effects: possible with the ingestion of large amounts to the nervous system. Do not u	ise on abraded skin.			
Carcinogenity: Non-hazardous by WHMIS/OSHA criteria.				
Mutagenity: Non-hazardous by WHMIS/OSHA criteria. Reproductive Effects: Non-hazardous by WHMIS/OSHA criteria.				
reproductive Effects: Non-nazardous by WHMIS/OSHA Criteria.				
SECTION 12 - ECOLOGICAL INFORMATION				
Component analysis - LC50: N/A				
Component analysis - LD50: N/A				
Ecotoxicity: N/A				
invironmental Effects: N/A				
Aquatic Toxicity: N/A Persistence / degradability: N/A				
Persistence / degradability: N/A Bioaccumulation / accumulation: N/A				
Partition coefficient: N/A				
Mobility in environmental media: N/A				
Chemical fate information: N/A				
Other adverse effects: N/A				
SECTION 13 - DISPOSAL CONSIDERATIONS				
Dispose of in accordance with Local, State, and Federal regulations. Products classified as nor waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Ag			ct with other products. Refer to "40 CFR Protection of Environment Pa	rts 260-299" for comple
Waste from residues/unused product: N/A				
Contaminated Packaging: N/A				
SECTION 14 - TRANSPORTATION INFORMATION	ON			
PROPER SHIPPING NAME		g flammable liquid, n.o.s. (E	thanol)	
HAZARD CLASS/PKG. GRP.	4.1 / II	IATA	Special Provision A46	
DENTIFICATION NUMBER	UN3175	US DOT	Special Provision 47	
SECTION 15 - REGULATORY INFORMATION				
Canadian Federal Regulation: N/A	d Communication Standard	1 20 CED 1010 1200 All	property are on the H.S. EPA TSCA Inventory Unit	
JS Federal Regulation: This product is a "Hazardous Chemical" as defined by the OSHA Hazar Occupational Safety and Health Administration (OSHA)	u Communication Standard	1, 23 CFK 1310.1200. All COM	iponents are on the U.S. EPA TSCA inventory List.	
29 CFR 1910.1200 hazardous chemical- Yes				
CERCLA (Superfound) reportable quantity - N/A				
Superfound Amendments and Reauthorization Act of 1986 (SARA) - N/A	·			
Clean Air Act (CAA) - N/A				
Clean Water Act (CWA) - N/A Gafe Drinking Water Act (SDWA) - N/A				
Drug Enforcement Agency (DEA) - N/A				
ood and Drug Administration (FDA) - N/A				
WHMIS classification - N/A				
rtate regulations - N/A nventory Name - N/A				
SECTION 16 - OTHER INFORMATION				
The information contained herein is believed to be accurate but is not warranted to be so. Us esponsibility for injury to vendee or third persons proximately caused by the material if reas bnormal use of this material even if reasonable safety procedures are followed.				
Date Prepared: April 2, 2014				
ласе г герагеа. мр гіі 2, 201 4				